

CLIENT: Ice River Springs Water Co., Inc.
494306 Grey Road #2
Feversham Ontario N0C1C0

DATE OF REPORT: Quarter 1, 2025
REPORT #: 133-18421
LABORATORY ID#: 12483

NOTE: "—" indicates that maximum levels have been exceeded, or in the case of pH, is either too high or too low
"ND" indicates that none of this analyte has been detected at or above the specified detection level
"MCL" indicates maximum contaminant level as established by US FDA for bottled water
"RL" indicates laboratory reporting limit for method
Units results are reported in mg/L unless otherwise noted

ANALYSIS PERFORMED	MCL ¹ (mg/L)	RL (mg/L)	SPRING FINISHED PRODUCT (Produced from Aquafarms 93 Source) 133-18421 (mg/L)
Primary Inorganics			
Antimony	0.006	0.001	ND
Arsenic	0.01	0.001	ND
Asbestos	7 MFL	0.177	ND
Barium	2	0.001	0.0106
Beryllium	0.004	0.001	ND
Cadmium	0.005	0.001	ND
Chromium	0.1	0.001	0.0012
Cyanide	0.2	0.040	ND
Fluoride	See endnote ²	0.10	ND
Lead	0.005	0.001	ND
Mercury	0.002	0.0002	ND
Nickel	0.1	0.001	0.0024
Nitrate-N	10	0.5	2.46
Nitrite-N	1.0	0.5	ND
Total Nitrate & Nitrite-N	10	0.5	2.46
Selenium	0.05	0.005	ND
Thallium	0.002	0.001	ND
Secondary Inorganics			
Alkalinity	--	1	308
Aluminum	0.2	0.010	0.011
Boron	--	0.05	ND
Bromide	--	0.005	0.0177
Calcium	--	0.5	80.0
Chloride	250 ³	0.1	6.10
Copper	1	0.005	ND
Corrosivity	--	--	0.20
Electrical Conductivity	-- umho/cm	10	572
Foaming Agents (MBAS)	--	0.10	ND
Hardness, Total	--	10	323
Iron	0.3 ³	0.050	ND
Magnesium	--	0.5	30
Manganese	0.05 ³	0.001	ND
pH	See endnote ⁴	0.1	7.56
Phenol	0.001	0.001	ND
Potassium	--	1.0	1.0
Silver	0.1	0.001	ND
Sodium	--	0.5	2.6
Sulfate	250	10	ND
TDS	500 ^{3,5}	10	309
Zinc	5 ³	0.005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	SPRING FINISHED PRODUCT (Produced from Aquafarms 93 Source) 133-18421 (mg/L)
Physical			
Color	15 ³ CU	5	ND
Odor	3 ³ TON	1	ND
Turbidity	5 NTU	0.10	ND
Microbiological			
Total Coliform	Absence	1	ND
Radiologicals			
Gross Alpha	15 pCi/L	3	ND
Gross Beta	50 pCi/L ⁵	4	ND
Radium 226/228	5 pCi/L	1/1	ND / ND
Uranium	0.030	0.001	ND
Radon	-- pCi/L	30	ND
Volatile Organic Compounds EPA 524.2:			
Total Trihalomethanes	0.080	0.0005	ND
Benzene	0.005	0.0005	ND
Bromobenzene	--	0.0005	ND
Bromochloromethane	--	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Bromomethane	--	0.0005	ND
n-Butylbenzene	--	0.0005	ND
sec-Butylbenzene	--	0.0005	ND
tert-Butylbenzene	--	0.0005	ND
Carbon Tetrachloride	0.005	0.0005	ND
Chloroethane	--	0.0005	ND
Chloroform	--	0.0005	ND
Chloromethane	--	0.0005	ND
o-Chlorotoluene	--	0.0005	ND
p-Chlorotoluene	--	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Dibromomethane	--	0.0005	ND
o-Dichlorobenzene	0.6	0.0005	ND
m-Dichlorobenzene	--	0.0005	ND
p-Dichlorobenzene	0.075	0.0005	ND
Dichlorodifluoromethane	--	0.0005	ND
1,1-Dichloroethane	--	0.0005	ND
1,2-Dichloroethane	0.005	0.0005	ND
1,1-Dichloroethylene	0.007	0.0005	ND
cis-1,2-Dichloroethylene	0.07	0.0005	ND
trans-1,2-Dichloroethylene	0.1	0.0005	ND
1,2-Dichloropropane	0.005	0.0005	ND
1,3-Dichloropropane	--	0.0005	ND
1,3-Dichloropropylene, Total	--	0.0005	ND
2,2-Dichloropropane	--	0.0005	ND
1,1-Dichloropropene	--	0.0005	ND
cis-1,3-Dichloropropene	--	0.0005	ND
trans-1,3-Dichloropropene	--	0.0005	ND
Ethylbenzene	0.7	0.0005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	SPRING FINISHED PRODUCT (Produced from Aquafarms 93 Source) 133-18421 (mg/L)
EPA 524.2 continued:			
Hexachlorobutadiene	--	0.0005	ND
Isopropylbenzene	--	0.0005	ND
p-Isopropyltoluene	--	0.0005	ND
Methyl tert-Butyl Ether (MTBE)	--	0.0005	ND
Methylene Chloride (Dichloromethane)	0.005	0.0005	ND
Monochlorobenzene	0.1	0.0005	ND
Naphthalene	--	0.0005	ND
n-Propylbenzene	--	0.0005	ND
Styrene	0.1	0.0005	ND
1,1,1,2-Tetrachloroethane	--	0.0005	ND
1,1,2,2-Tetrachloroethane	--	0.0005	ND
Tetrachloroethylene	0.005	0.0005	ND
Toluene	1	0.0005	ND
1,2,3-Trichlorobenzene	--	0.0005	ND
1,2,4-Trichlorobenzene	0.07	0.0005	ND
1,1,1-Trichloroethane	0.2	0.0005	ND
1,1,2-Trichloroethane	0.005	0.0005	ND
Trichloroethylene	0.005	0.0005	ND
Trichlorofluoromethane	--	0.0005	ND
1,2,3-Trichloropropane	--	0.0005	ND
1,2,4-Trimethylbenzene	--	0.0005	ND
1,3,5-Trimethylbenzene	--	0.0005	ND
Vinyl Chloride	0.002	0.0005	ND
m+p-Xylenes	--	0.0005	ND
ortho-Xylene	--	0.0005	ND
Total Xylene	10	0.0005	ND
Add'l Organics			
EPA 504.1:			
1,2-Dibromoethane	0.00005	0.00002	ND
1,2 Dibromo-3-chloropropane	0.0002	0.00002	ND
1,2,3-Trichloropropane	0.00003	0.00002	ND
EPA 508.1:			
Chlordane (alpha and gamma)	0.002	0.0002	ND
Total PCBs	0.0005	0.0005	ND
Toxaphene	0.003	0.001	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	SPRING FINISHED PRODUCT (Produced from Aquafarms 93 Source) 133-18421 (mg/L)
EPA 515.4:			
2,4-D	0.07	0.0001	ND
Dalapon	0.2	0.001	ND
Dicamba	--	0.0002	ND
Dinoseb	0.007	0.0002	ND
Pentachlorophenol	0.001	0.00004	ND
Picloram	0.5	0.0001	ND
2,4,5-TP (Silvex)	0.05	0.0002	ND
EPA 525.2:			
Alachlor	0.002	0.0002	ND
Aldrin	--	0.0001	ND
Atrazine	0.003	0.0001	ND
Benzo(a)Pyrene	0.0002	0.00002	ND
Butachlor	--	0.0001	ND
Di(2-ethylhexyl)Adipate	0.4	0.0006	ND
Di(2-ethylhexyl)Phthalate	0.006	0.0006	ND
Dieldrin	--	0.0001	ND
Endrin	0.002	0.00001	ND
Heptachlor	0.0004	0.00004	ND
Heptachlor Epoxide	0.0002	0.00002	ND
Hexachlorobenzene	0.001	0.0001	ND
Hexachlorocyclopentadiene	0.05	0.0001	ND
Lindane	0.0002	0.00002	ND
Methoxychlor	0.04	0.0001	ND
Metolachlor	--	0.0001	ND
Metribuzin	--	0.0001	ND
Propachlor	--	0.0001	ND
Simazine	0.004	0.00007	ND
EPA 531.2:			
Aldicarb (TEMIK)	--	0.001	ND
Aldicarb sulfone	--	0.0016	ND
Aldicarb sulfoxide	--	0.001	ND
Carbaryl	--	0.001	ND
Carbofuran (FURADAN)	0.04	0.0009	ND
3-Hydroxycarbofuran	--	0.001	ND
Methomyl	--	0.001	ND
Oxamyl (VYDATE)	0.2	0.002	ND
EPA 547:			
Glyphosate	0.7	0.006	ND
EPA 548.1:			
Endothall	0.1	0.009	ND
EPA 549.2:			
Diquat	0.02	0.0004	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	SPRING FINISHED PRODUCT (Produced from Aquafarms 93 Source) 133-18421 (mg/L)
EPA 1613: 2,3,7,8-TCDD (DIOXIN)	3x10-8	4.9x10-9	ND
Disinfection Byproducts			
EPA 300.1: Bromate	0.010	0.001	ND
EPA 300.1B: Chlorite	1.0	0.010	ND
EPA 552.3: Dibromoacetic acid	--	0.001	ND
Dichloroacetic acid	--	0.001	ND
Monobromoacetic acid	--	0.001	ND
Monochloroacetic acid	--	0.002	ND
Trichloroacetic acid	--	0.001	ND
Haloacetic Acids, Total	0.060	0.001	ND
EPA 524.2: Total Trihalomethanes	0.080	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Chloroform	--	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Residual Disinfectants			
SM4500-CL G: Residual Chlorine, Total	4.0	0.05	ND
Chloramines	4.0	0.05	ND
SM4500-CIO2-D: Chlorine Dioxide	0.8	0.1	ND
Miscellaneous			
EPA 331.0: Perchlorate	--	0.0005	ND

EPA approved methods were used in all of the analyses and a listing is available upon request. These test results may be used for compliance purposes as required.

¹ The EPA, some State agencies and/or the IBWA may have established alternate MCLs for some of these analytes. Please refer to Federal, State and Industry codes.

² Fluoride MCL is determined by annual average of maximum daily air temperatures where the bottled water is sold. Refer to tables found in 21 CFR 165. The MCL for bottled water to which Fluoride has been added is 0.7 mg/L.

³ Mineral water is exempt from allowable levels per 21 CFR 165.110(b)(3) and (4). The exemptions are aesthetically based allowable levels and do not relate to a health concern.

⁴ MCL established by US FDA for waters that meet the US FDA definition of "Purified" is 5-7 pH Units per the USP XXIII Standards, as referenced in 21 CFR 165.

⁵ The bottled water shall not contain beta particle and photon radioactivity from man-made radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day (= 50 pCi/L).

Certificate of Compliance

This is to certify that

EUROFINS EDGE ANALYTICAL,

An Accredited Drinking Water Laboratory,
Certification number 046, has completed the analysis of

ICE RIVER SPRINGS WATER CO. INC.

“Spring FP 50 State”

on April 7, 2025, according to the FDA testing requirements for bottled drinking water.
All parameters were found to be in compliance with 21 CFR 165 and 21 CFR 129
published limits for bottled drinking water.



eurofins

**Environment Testing
Edge Analytical**

Director of Laboratories, Vice President

25-05903

BOTTLED WATER STANDARD OF QUALITY REPORT

Perfluorinated Compounds

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Lab	COMMENT
1763-23-1	PERFLUOROOCTANESULFONIC ACID (PFOS)	ND	4	2.0	ng/L	537.1	a	Analyzed by Eurofins Pom CA
335-67-1	PERFLUOROOCTANOIC ACID (PFOA)	ND	4	2.0	ng/L	537.1	a	
13252-13-6	HEXAFLUOROPROPYLENE OXIDE DIMER (HFPO-DA/GENX)	ND	10	2.0	ng/L	537.1	a	
375-73-5	PERFLUOROBUTANESULFONIC ACID (PFBS)	ND	2000	2.0	ng/L	537.1	a	
375-95-1	PERFLUORONONANOIC ACID (PFNA)	ND	10	2.0	ng/L	537.1	a	
355-46-4	PERFLUOROHXANESULFONIC ACID (PFHxS)	ND	10	2.0	ng/L	537.1	a	
763051-92-9	11-CHLOROEICOSAFLUORO-3-OXAUNDECANE-1-SULFONATE	ND		2.0	ng/L	537.1	a	
919005-14-4	4,8-DIOXA-3H-PERFLUORONONANOIC ACID (DONA, ADONA)	ND		2.0	ng/L	537.1	a	
756426-58-1	9-CHLOROHEXADECYLAFLUORO-3-OXANONANE-1-SULFONIC ACID (F-53B MAJOR)	ND		2.0	ng/L	537.1	a	
2991-50-6	N-ETHYLPERFLUORO-1-OCTANESULFONAMIDOACETIC ACID (NETFOSAA)	ND		2.0	ng/L	537.1	a	
2355-31-9	N-METHYLPERFLUORO-1-OCTANESULFONAMIDOACETIC ACID (NMEFOSAA)	ND		2.0	ng/L	537.1	a	
335-76-2	PERFLUORODECANOIC ACID (PFDA)	ND		2.0	ng/L	537.1	a	
307-55-1	PERFLUORODODECANOIC ACID (PFDOA)	ND		2.0	ng/L	537.1	a	
375-85-9	PERFLUOROHEPTANOIC ACID (PFHPA)	ND		2.0	ng/L	537.1	a	
307-24-4	PERFLUOROHEXANOIC ACID (PFHXA)	ND		2.0	ng/L	537.1	a	
376-06-7	PERFLUOROTETRADECANOIC ACID (PFTA)	ND		2.0	ng/L	537.1	a	
72629-94-8	PERFLUOROTRIDECANOIC ACID (PFTRDA)	ND		2.0	ng/L	537.1	a	
2058-94-8	PERFLUOROUNDECANOIC ACID (PFUnA)	ND		2.0	ng/L	537.1	a	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.

MRL - Method Reporting Limit.